Printing date 16.03.2016

Version: 4

Revision: 16.03.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: ENAbond SE Primer

- Article number: CFOTP
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- Application of the substance / the mixture Dental bonding material
- $\cdot$  1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Micerium spa., Via G. Marconi, 83 - 16036 Avegno (GE), Italy, Tel.: +39-0185-7887870, Fax: +39-0185-7887970
- Further information obtainable from: Dr. Eugenio Miceli
- · 1.4 Emergency telephone number:

Poison Control Center San Martino Hospital (Genoa, Italy) Tel.: +39-010-352808 (available 24 h)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- $\cdot$  Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- Skin Sens. 1 H317 May cause an allergic skin reaction.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labelling:
- 2-hydroxyethyl methacrylate 10-MDP
- · Hazard statements
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- · Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- *P310 Immediately call a POISON CENTER/doctor.*
- P405 Store locked up.
- *P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

(Contd. on page 2)

GB

Printing date 16.03.2016

Version: 4

Revision: 16.03.2016

#### Trade name: ENAbond SE Primer

Labelling of	packages where the contents do not exceed 125 ml (Contd. of page
Hazard picto	
<b>^</b>	▲ ▲
PW	
<u>ب</u> چ	
	$\mathbf{\vee}$
GHS05 C	HS07
Signal word	Danger
Hazard-deter	mining components of labelling:
	yl methacrylate
10-MDP	
Hazard state	ments
	severe skin burns and eye damage.
	use an allergic skin reaction.
Precautional	
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P303+P361-	-P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse sk
	with water/shower.
P305+P351-	-P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,
	present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/internation
	regulations.
2.3 Other ha	•
	3T and vPvB assessment

• *PBT:* Not applicable. • *vPvB:* Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

 $\cdot \textit{Description: Solvent mixture with additives.}$ 

· Dangerous components:		
CAS: 868-77-9	2-hydroxyethyl methacrylate	50-75%
EINECS: 212-782-2	🚸 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 85590-00-7	10-MDP	10-25%
	😵 Skin Corr. 1B, H314	
CAS: 10373-78-1	D,L-Campherchinon	< 2,5%
	🚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
• Additional informat	ion For the wording of the listed risk phrases refer to section 16.	

## **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

• After inhalation Supply fresh air; consult doctor in case of complaints.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing Call a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 16.03.2016

Version: 4

Revision: 16.03.2016

Trade name: ENAbond SE Primer

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.* 

## **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

• Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- $\cdot \textit{For safety reasons unsuitable extinguishing agents Water with full jet.}$
- $\cdot$  5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released: organic products of decomposition Carbon dioxide Carbon monoxide (CO)

- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

## **SECTION 6:** Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- **6.4 Reference to other sections** See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in refrigerator.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

(Contd. of page 2)

Printing date 16.03.2016

Version: 4

Revision: 16.03.2016

Trade name: ENAbond SE Primer

- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection: Not necessary if room is well-ventilated.
- · Protection of hands: Protective gloves.
- · Material of gloves Butyl rubber, BR
- · Penetration time of glove material
- 0,1 0,2 mm
- Penetration time: 5 min.
- Eye protection: Tightly sealed goggles.

## SECTION 9: Physical and chemical properties

9.1 Information on basic physical an	d chemical properties	
· General Information		
· Appearance:	Fluid	
Form: Colour:	Fiuta Yellowish	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	2,5	
-	-,-	
• Change in condition Melting point/Melting range:	undetermined	
<i>Boiling point/Meaning range:</i> <i>Boiling point/Boiling range:</i>	100 °C	
	100 0	
· Flash point:	97 °C	
· Flammability (solid, gaseous)	Not applicable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 •C:	23 hPa	
· Density:	Not determined	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible	
· Partition coefficient (n-octanol/water	r): Not determined.	
· Viscosity:		
dynamic:	Not determined.	
kinematic:	Not determined.	
		(Contd. on page

Printing date 16.03.2016

Version: 4

Revision: 16.03.2016

(Contd. of page 4)

Trade name: ENAbond SE Primer

- · Solvent content:
- Organic solvents:
- 9.2 Other information
- No further relevant information available.

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Exothermic polymerization
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials:

In presence of radical formers (e. g. peroxides), deoxidizing substances, and/or heavy metal ions, polymerization with heat release is possible.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

0.0 %

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- $\cdot$  Serious eye damage/irritation
- Causes serious eye damage. • **Respiratory or skin sensitisation**
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- $\cdot$  12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 16.03.2016

Version: 4

Revision: 16.03.2016

Trade name: ENAbond SE Primer

(Contd. of page 5)

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

07 01 04\* other organic solvents, washing liquids and mother liquors

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information			
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void		
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void		
· 14.3 Transport hazard class(es)			
· ADR, ADN, IMDG, IATA · Class	Void		
· 14.4 Packing group · ADR, IMDG, IATA	Void		
· 14.5 Environmental hazards: · Marine pollutant:	No		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Transport in bulk according to Annex I Marpol and the IBC Code	l of Not applicable.		
· UN "Model Regulation":	Void		

#### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.

· National regulations

- · Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.

(Contd. on page 7)

Printing date 16.03.2016

Version: 4

Revision: 16.03.2016

#### Trade name: ENAbond SE Primer

	(Contd. of page
H335 I	May cause respiratory irritation.
Depart	tment issuing MSDS: Micerium S.p.a.
-	ct: Dr. Eugenio Miceli
Abbrev	viations and acronyms:
	glement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning .
	ional Transport of Dangerous Goods by Rail)
	nternational Civil Aviation Organisation
	ccord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation
	e of Dangerous Goods by Road)
IMDG: I	International Maritime Code for Dangerous Goods
IATA: In	nternational Air Transport Association
GHS: Gl	lobally Harmonised System of Classification and Labelling of Chemicals
EINECS	: European Inventory of Existing Commercial Chemical Substances
ELINCS	: European List of Notified Chemical Substances
CAS: Ch	nemical Abstracts Service (division of the American Chemical Society)
PBT: Pe	ersistent, Bioaccumulative and Toxic
vPvB: ve	ery Persistent and very Bioaccumulative
Skin Cor	rr. 1B: Skin corrosion/irritation, Hazard Category 1B
Skin Irri	it. 2: Skin corrosion/irritation, Hazard Category 2
Eye Dan	n. 1: Serious eye damage/eye irritation, Hazard Category 1
Eye Irrit	t. 2: Serious eye damage/eye irritation, Hazard Category 2
Skin Sen	ns. 1: Sensitisation - Skin, Hazard Category 1
STOT SE	E 3: Specific target organ toxicity - Single exposure, Hazard Category 3
* Data	compared to the previous version altered.